




1. A proton is moving due north in a uniform magnetic field that is pointing 60° west of south. $F = qvB\sin\theta$ and $q = 1.6 \times 10^{-19}\text{C}$
 - a. Draw the magnetic field vector on the coordinate system below, and label all the directions on the coordinate system.
 - b. Draw the velocity vector on the same coordinate system.
 - c. What is the angle between v and B ?
 - d. Draw the Force vector on the same coordinate system, and write down a description of the direction.
 - e. Find the magnitude of the Force vector if $B = 1.6\text{ T}$ and $v = 3 \times 10^6\text{ m/s}$



2. An electron is moving northward, 30° down from the horizontal in a uniform magnetic field that is pointing due west.
 - a. Draw the velocity vector on the coordinate system below, and label all the directions on the coordinate system.
 - b. Draw the magnetic field vector on the same coordinate system.
 - c. What is the angle between v and B ?
 - d. Draw the Force vector on the same coordinate system, and write down a description of the direction.



3. A proton is moving west with a speed of 2.0×10^5 m/s in a 1.2 T uniform magnetic field. It experiences an upward magnetic force of 3.2×10^{-14} N.
- Sketch the velocity on a coordinate system so that the force is aimed in (or out) of the page.
 - Calculate the angle between the velocity and the magnetic field.
 - Sketch the magnetic field on the graph (you should have two possible directions for B, sketch them both).



4. After being accelerated through a potential difference of 6.5kV, a doubly charged Oxygen atom O_2^{-2} ($m_O = 2.65 \times 10^{-26}$ kg) moves in a circle of radius 22 cm.

- Sketch the direction the negative ion curves when it enters the magnetic field shown directed into the page.
- Find the magnitude of the magnetic field,

$$\frac{1}{2}mv^2 = q\Delta V \text{ and } \frac{mv^2}{r} = qvB$$

$$v = \sqrt{\frac{2q\Delta V}{m}} \text{ and } \frac{mv}{r} = qB$$

